



Speed Post 1/9/08  
**अखिल भारतीय तकनीकी शिक्षा परिषद्**  
**ALL INDIA COUNCIL FOR TECHNICAL EDUCATION**

(भारत सरकार का एक सामाजिक उत्तरदायी निकाय) (A STATUTORY BODY OF THE GOVT. OF INDIA)

F. No. 730-50-216(E)/ET/97

To,

The Principal Secretary (Higher Education),  
 Govt. of Andhra Pradesh, J Block,  
 A P Government Secretariat,  
 Hyderabad - 500 029, Andhra Pradesh



Date: 02/05/2008

Sub: Extension of approval to N B K R INSTITUTE OF SCIENCE & TECHNOLOGY VIDYANAGAR, NELLORE DISTT. - 524 413, ANDHRA PRADESH

Sir,

As per the Regulations notified by the Council vide F.No. 37-3/Legal/2004 dated 14<sup>th</sup> September 2006 and norms, standards, procedures and conditions prescribed by the Council from time to time and based on the recommendations of Appraisal Committee / Expert Committee, I am directed to convey the extension of approval of the Council to N B K R INSTITUTE OF SCIENCE & TECHNOLOGY VIDYANAGAR, NELLORE DISTT. - 524 413, ANDHRA PRADESH for conduct of the following courses with the intake indicated below:

Name of the Course(s)	Existing Intake	Revised Intake	Period of approval
Civil Engineering	60	60	2008-11
Computer Sc. & Engineering	120	120	
Electrical & Electronics Engineering	120	120	
Electronics & Comm. Engineering	120	120	
Electronics Instr. & Control Engineering	60	60	
M.Tech.-Computer Aided Power Systems	18	18	
M.Tech.-Industrial Engineering	18	18	
Mechanical Engineering	60	60	
Total	576	576	

\* The Compliance Report alongwith requisite processing fee is required to be submitted every year by 31<sup>st</sup> August irrespective of the period of approval.

The above approval is subject to rectification of the following observations / deficiencies / specific conditions by 31<sup>st</sup> August 2008.

> Faculty :

Course (s)	Number of Faculty Required	Number of Faculty available	Shortfall in Faculty
Electronics Instr. & Control Engineering	12	11	1

- ❖ One Ph.D faculty and two PG faculty members should be exclusively appointed for each of the PG programmes
- ❖ Sr. level faculty in cadre ratio as per AICTE norms should be appointed.
- ❖ AICTE Pay scales should be implemented to all the faculty and staff.
- ❖ Faculty in the Humanities & So. should be appointed in the ratio of 1:15 for the incoming batch of students.

> Built up area :

- ❖ There is a shortfall of 937 sq. mt. in the built up area as only 18719 sq. mt. is available against a requirement of 19656 sq.mt. (Deficiency 5 %).
- ❖ There is a shortfall of 687 sq. mt. in the instructional area as only 9393 sq. mt. is available against a requirement of 10080 sq.mt (Deficiency 7 %).

> Others :

- ❖ The deficiencies communicated in the last approval letter are not fully complied with.

Contd.. 2/-

PA  
 AICTE File  
 19/10/08